



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/687,764

10/20/2003

Byung-Ryul Ryoo

1293.1910

8966

21171 7590 08/28/2008
STAAS & HALSEY LLP
SUITE 700
1201 NEW YORK AVENUE, N.W.
WASHINGTON, DC 20005

EXAMINER

GOMA, TAWFIK A

ART UNIT

PAPER NUMBER

2627

MAIL DATE

DELIVERY MODE

08/28/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Response to Arguments

Applicant's arguments filed on 8/05/2008 have been considered but are not persuasive. With respect to applicant's arguments that Yagi discloses that the rotation of the diffraction grating is interlocked with the correction means, and that the correction means is only defined as a correction lens, this argument is not persuasive for the following reasons. Yagi discloses that the correction means is a correction lens that is operable to move in an optical axis direction in order to compensate for the difference in thickness of the recording medium (see Yagi, col. 61 lines 12-19). As further evidence that the cylinder of Yagi is movable in both the optical axis and rotatable, Yagi claims 1 and 5 disclose movement of "moving means" in the optical axis direction (claim 1) and pivotal movement about an optical axis (claim 5). Applicant's arguments regarding the disclosure of Yagi in example 25 is not relevant since that example alone is not relied on by the examiner to disclose the claimed subject matter.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TAWFIK GOMA whose telephone number is (571)272-4206. The examiner can normally be reached on 8:30 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Joseph H. Feild/
Supervisory Patent Examiner, Art Unit
2627

/Tawfik Goma/
Examiner, Art Unit 2627